PAT-NO:

JP403243432A

DOCUMENT-IDENTIFIER: JP 03243432 A

TITLE:

POWER SEAT FOR

AUTOMOBILE '

PUBN-DATE:

October 30, 1991

INVENTOR-INFORMATION:

NAME

OSHIMA, SHUNZO

MANABE, SEI

AYANO, NOBUO

ONO, MASAHITO

ASSIGNEE-INFORMATION:

NAME

COUNTRY

MITSUBISHI MOTORS CORP

N/A

APPL-NO:

JP02038585

APPL-DATE:

February 20, 1990

BEST AVAILABLE COPY

11/04/2004, EAST Version: 1.4.1

INT-CL (IPC): B60N002/06, B60N002/12,

G05B019/42

US-CL-CURRENT: 248/429


ABSTRACT:


PURPOSE: To ensure wide riding space, and to improve riding function by forming an automatic sliding mechanism in which a seat is automatically receded and proceeded interlocking with the retraction of an ignition key, and by making the receding amount variable according to a memory position of the seat.

CONSTITUTION: Most stoppers 31, 32 are mounted in the vicinity of the front end of a lower rail 4 as well as in the vicinity of the rear end thereof, and a memory stopper 30 is mounted along the lower rail 4 so as to move freely. slide range detection switch 22 for detecting the proceeding limit and receding limit positions of a seat by abutting on each most stopper 31, 32, is provided on an upper rail 5, while a memory position detection switch 21 for detecting a memory position by abutting on the memory stopper 30 is provided. The control mechanism of a motor for seat driving is formed in such a way that a seat 1 is automatically receded interlocking with the retraction of an ignition key, and

is proceeded and returned to a memory position. The receding amount is varied according to the output of each switch 21, 22.

COPYRIGHT: (C) 1991, JPO&Japio





This Page is Inserted by IFW Indexing and Scanning Operations and is not part of the Official Record

BEST AVAILABLE IMAGES

Defective images within this document are accurate representations of the original documents submitted by the applicant.

Defects in the images include but are not limited to the items checked:
☐ BLACK BORDERS
☐ IMAGE CUT OFF AT TOP, BOTTOM OR SIDES
☐ FADED TEXT OR DRAWING
☐ BLURRED OR ILLEGIBLE TEXT OR DRAWING
☐ SKEWED/SLANTED IMAGES
☐ COLOR OR BLACK AND WHITE PHOTOGRAPHS
GRAY SCALE DOCUMENTS
☐ LINES OR MARKS ON ORIGINAL DOCUMENT
☐ REFERENCE(S) OR EXHIBIT(S) SUBMITTED ARE POOR QUALITY
Потивр.

IMAGES ARE BEST AVAILABLE COPY.

As rescanning these documents will not correct the image problems checked, please do not report these problems to the IFW Image Problem Mailbox.